

Retroit HandBook

R-22 Retrofit Guidelines and Procedures



National Refrigerants, Inc.



TABLE OF CONTENTS

PAGE

R-22 Retrofit Guidelines

•	General ConsiderationsSeals and O-RingsTXVsDistributor NozzlesCapillary TubesFilter DriersTemperature Glide/FractionationPressure ControlsLubricant IssuesCapacity and Efficiency	1-3 1 1-2 2 2 2 2 2-3 3
•	General Retrofit Procedure for Supermarket or Large Refrigeration Systems	4
•	General Retrofit Procedure for Smaller, Self Contained Refrigeration or A/C Systems	5
•	Product Summary Sheets	6-11
	 B-407C 	6
	► R-422B	7
	► R-438A	8
	 Refrigeration Retrofit Blends 	
	▶ R-407A	9
	▶ R-407C	6
	▶ R-404A / R-507 / R-422C	10
	▶ R-422D	11
	▶ R-438A	8
•	Refrigerant Retrofit Checklist	12-16
	Appendix I : Fractionation / Temperature Glide	17-18
	Single Component Refrigerants vs. Refrigerant Blends	17
	Fractionation of Blends	17
	Fractionation Effect on System Charge	17
	Fractionation Effect on Some System Components	17
	Temperature Glide in the Evaporator	18
	Pressure / Temperature Charts	18
	 Setting Superheat and Subcooling 	18

Appendix II : TXV Rating Example

19-21



Introduction

As customers face economic pressure, environmental regulations, product shortages, or just a general company desire to "go green," there will be continued interest in retrofitting away from R-22 in existing refrigeration and air conditioning systems. This handbook provides basic information about the retrofit process as well as product-specific data on the commercially available retrofit blends. Multiple checklists and data recording tables are provided so this handbook can be used to provide a history of a specific project or series of retrofits.

Disclaimer

This publication is designed to provide accurate and authoritative information. It is not to be construed as the rendering of any professional advice, counsel or services. The information contained herein is based on technical data and tests provided and/or conducted by others believed to be reliable and is intended for use by persons having the necessary technical skill and equipment, at their own discretion and risk.

National Refrigerants' programs and publications are designed solely to help customers maintain their professional competence. In dealing with specific technical matters, customers using National Refrigerants' publications or orally conveyed information should also refer to the original sources of authority. THE MANUFACTURER'S RECOMMEND-ATIONS SHOULD ALWAYS BE FOLLOWED TO ASSURE OPTIMUM PERFORMANCE AND SAFETY.

Since conditions of use are outside of National Refrigerants' control, we can assume no liability for results obtained or any damages incurred through the use or application of the data presented. The language container herein is not contractual in nature. By a separate document, National Refrigerants, Inc. will enter into a written contract with interested parties, which contract will be specifically limited to its own terms and conditions.

National Refrigerants, Inc.

R-22 Retrofit Guideline Handbook

Copyright © 2009 by NRI™



General Considerations

R-22 Alternative Retrofit Guidelines

Seals and O-Rings

R-22 and mineral oil interact with many elastomers causing some swelling, which actually helps complete the intended seal. There is also a measurable increase in hardness over time. One consequence of this process, however, is that during a retrofit away from R-22, the new refrigerant / oil combination may cause the seal to shrink and allow leakage. Any process that disturbs the seating of the gasket, such as depressing Schrader valves or operating ball valves, may also cause leaks to occur. Therefore, for any retrofit job it is recommended to change Schrader valve cores, o-rings on caps, elastomeric seals, and any seals found to be leaking before the retrofit takes place.

TXVs

Some refrigerants will have very similar run-time capacity and pressure drop across a TXV while others may be different enough from R-22 that the valve will become undersized. TXV capacity is determined by: (1) three system conditions: evaporator refrigerant saturation temperature, liquid refrigerant temperature entering the TXV and the pressure drop across the TXV port, and (2) thermodynamic properties of the refrigerant. It cannot be assumed that the TXV capacity will remain the same after converting a R-22 system to an alternative refrigerant because in some cases the TXV capacity will be reduced when used with the alternative refrigerant. Since each refrigerant has its own pressure/temperature characteristics, some R-22 alternative refrigerants might require the use of a TXV with a R-404A thermostatic element. Regardless of whether the TXV is replaced, for maximum evaporator efficiency, the superheat should be checked and set to the equipment manufacturer's specification. (See Appendix II)

Distributor Nozzles

It is the small orifice in the nozzle of a refrigerant distributor which takes the liquid-vapor mixture at the outlet of the TXV and converts it into a homogeneous mixture. This allows each evaporator circuit to receive an equal mass flow of refrigerant, maintaining evaporator efficiency.

Given the varying thermodynamic properties between refrigerants, there will be some alternative refrigerants which will yield abnormally high pressure drops in the existing R-22 nozzle orifice. The higher nozzle pressure drop will result in less available pressure drop across the TXV port, reducing valve capacity. For some alternative refrigerants, this combined effect can produce a greater than expected loss of TXV capacity.

(continued)

General Considerations



R-22 Alternative Retrofit Guidelines

Distributor Nozzles (continued)

In particular, on larger tonnage applications where refrigerant distributors will have replaceable nozzles, they should be checked for capacity prior to the retrofit.

Capillary Tubes

Smaller systems with capillary tubes may not perform the same when retrofitted. Unless the length of the tube is adjusted to match the performance of the blend, the only other way to change the operation of a cap tube system is to adjust the refrigerant charge size.

Filter Driers

Filter driers and/or cores should be replaced during the retrofit process. The filter drier should be replaced with the same type currently in use in the system.

Temperature Glide/Fractionation

Most of the retrofit blends have some degree of temperature glide. System operation can be affected (superheat setting, other controls) and fractionation must be considered for systems that may leak while not running for long periods. (See Appendix I)

Pressure Controls

Some refrigerant blends will run at different pressures than R-22 to achieve the same temperatures. Any pressure-related control should be adjusted to compensate for the different pressure.

Lubricant Issues

In general, HFC blends will require the use of polyol ester (POE) lubricant. Traditional retrofit guidelines call for the mineral oil level to be below 5%. This is typically achieved by draining oil from compressors and the oil management system and replacement with POE up to 3 times. Follow compressor manufacturer guidelines for recommended levels and procedures. (continued)



R-22 Alternative Retrofit Guidelines

Lubricant Issues (continued)

Some retrofit blends contain hydrocarbon additives to help circulate mineral oil with the HFC refrigerant. This strategy works well to thin the mineral oil and push it back along the suction line; however, the HFC/hydrocarbon blend still does not mix with mineral oil on the high side of the system. If there is a receiver, mineral oil might pool on top of the refrigerant and hold up there. Addition of POE to the system has been proposed as a solution to this problem.

Capacity and Efficiency

Some retrofit blends have lower run-time capacity compared to R-22. For larger, multicompressor systems such as supermarket racks, this difference is less important because the system can make up the loss in capacity by running more compressors. In single compressor systems that are properly oversized, the loss in capacity will mean longer run times in order to satisfy the thermostat. Other systems that are designed to run at full capacity, such as process chillers or blast freezers, will lose processing capability as the capacity is reduced. The choice of retrofit blend based on its capacity match to R-22 will be more important for these applications.

It is highly recommended that after the system has been retrofitted to the new refrigerant, that the necessary time is taken during the startup process to tune the system properly. While some alternative refrigerants might be inherently less efficient than R-22, the actual efficiency of the former R-22 system may increase after the retrofit if the following steps are taken:

- replace existing filter driers and suction filters
- conduct a thorough leak check and repair all leaks
- properly charge the system
- optimize the compressor staging
- set all pressure regulating valves per design specifications
- most important -- set all TXVs to the correct superheat

The thermodynamic gain or loss of efficiency of a given blend is often overshadowed by these project-related factors. Most low temperature retrofits will benefit greatly from not running the liquid-injection system required for R-22. Most air conditioning systems will probably not see much efficiency improvement over R-22.



- 1. Collect baseline data for operation of the system with existing R-22 charge. Make note of any cases or system components that do not appear to be running properly and note any required repairs.
- 2. Leak check the system while still charged with R-22 to identify any repairs needed during the retrofit process.
- 3. Disconnect electrical power to system and properly recover the R-22 charge. Record the amount of R-22 recovered.
- 4. Perform any required maintenance or repair operations previously identified, including:
 - replacement of seals and gaskets
 - leak repairs
 - filter drier replacement
 - compressor oil change
 - replace TXV, TXV element and refrigerant distributor nozzle as required
- 5. If desired, pressurize and leak check the system by preferred method. Evacuate the system down to 250 microns and confirm that it holds.
- 6. Charge the system with the retrofit blend to about 90% to 95% of the recovered R-22 charge size. Make sure the refrigerant is removed from the cylinder as a liquid.
- 7. Restart the system and allow it to come to normal operation conditions. Compare the new operation data to the R-22 run time data. Adjust operation as needed.
- Check superheat on the TXVs and adjust as necessary.
 Note: The temperature glide of a blend will likely affect TXVs by showing a lower than expected superheat value. (see Appendix I)
- 9. Label the system with identification stickers showing the new refrigerant and oil charge.



General Retrofit Procedures

- 1. Collect baseline data for operation of the system with existing R-22 charge. Make note of any obvious performance problems with the system.
- 2. Leak check the system while still charged with R-22 to identify any repairs needed during the retrofit process.
- 3. Disconnect electrical power to system and properly recover the R-22 charge. Record the amount of R-22 recovered.
- 4. Perform any required maintenance or repair operations previously identified, including:
 - replacement of Schrader cores
 - filter drier replacement
 - change oil or add small amount of POE if required (follow equipment manufacturer's guidelines).
- 5. If desired, pressurize and leak check the system by preferred method. Evacuate the system down to 250 microns and confirm that it holds.
- 6. Charge the system with the retrofit blend to about 90% to 95% of the recovered R-22 charge size. Make sure the refrigerant is removed from the cylinder as a liquid.
- 7. Restart the system and allow it to come to normal operation conditions. Compare the new operation data to the R-22 run time data. Adjust operation as needed.
- Check superheat on the TXVs and adjust as necessary.
 Note: The temperature glide of a blend will likely affect TXVs by showing a lower than expected superheat value. (See Appendix I)
- 9. Label the system with identification stickers showing the new refrigerant and oil charge.

R-407C Air Conditioning Refrigeration

Physical Pro	operties			R-407C	
Physical PropertiesR-407CEnvironmental ClassificationHFCMolecular Weight86.2Boiling Point (1 atm, $^{\circ}$ F)-43.6Critical Pressure (psia)672.1Critical Temperature ($^{\circ}$ F)187Critical Density, (lb./ft^ 3)32Liquid Density (70 $^{\circ}$ F, lb./ft^ 3)72.4Vapor Density (bp, lb./ft^ 3)0.289Heat of Vaporization (bp, BTU/lb.)106.7Specific Heat Liquid (70 $^{\circ}$ F, BTU/lb. $^{\circ}$ F)0.3597Specific Heat Vapor (1 atm, 70 $^{\circ}$ F, BTU/lb. $^{\circ}$ F)0.1987Ozone Depletion Potential (CFC 11 = 1.0)0Global Warming Potential (CO ₂ = 1.0)1770ASHRAE Standard 34 Safety RatingA1					
Temperature	Glide (°F)			10	
R-407C (R-32/R-125/R-134a) (23/25/52 wt%)					
Application	TXV Load Rating	Capacity	Efficiency	Oil Issue	
Air Conditioning	No changes similar pressure drop	Very similar	Very similar	Replace MO with POE following manufacturer's guidelines	
Low/Medium Temp Refrigeration	No changes similar pressure drop	Slightly lower	Similar	Replace MO with POE following manufacturer's guidelines	
*Performance c	omparison to R-22	system oper	ation		

RED FIGURES (IN Hg) VACUUM

1550 lb. cyl

Available in the following sizes

25 lb.cyl 115 lb.cyl 925 lb.cyl

Pressure-Temp Chart

R-407C					
Temp	Liquid	Vapor			
Temp (°F) -40 -35 -30 -25 -20 -15 -10 -5 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80	R-407C Liquid (psig) 3.0 5.4 8.0 10.9 14.1 17.6 21.3 25.4 29.9 34.7 39.9 45.6 51.6 58.2 65.2 72.6 80.7 89.2 98.3 108 118 129 141 153 166	Vapor (psig) 4.4 0.6 1.8 4.1 6.6 9.4 12.5 15.9 19.6 23.6 28.0 32.8 38.0 43.6 49.6 56.1 63.1 70.6 78.7 87.3 96.8 106 117 128 140			
80 85 90 95 100 105 110 115 120 125 130 135 140	166 180 195 210 226 243 261 280 300 321 342 365 389	140 153 166 181 196 211 229 247 266 286 307 329 353			





R-422B

Air Conditioning

Physical Properties	R-422B
Environmental Classification Molecular Weight Boiling Point (1 atm, °F) Critical Pressure (psia) Critical Temperature (°F) Critical Density (lb./ft ^ 3) Liquid Density (70 °F, lb./ft ^ 3) Vapor Density (bp, lb./ft ^ 3)	R-422B HFC 108.5 -40.5 590.3 186.3 32.9 73.05 0.29 80.5
Specific Heat Liquid (70 °F, BTU/lb. °F) Specific Heat Vapor (1 atm, 70 °F, BTU/lb. °F) Ozone Depletion Potential (CFC 11 = 1.0) Global Warming Potential (CO2=1.0) ASHRAE Standard 34 Safety Rating	80.5 0 2525 A1
Temperature Glide (°F)	5

R-422B (R-125/R-134a/R-600a) (55/42/3 wt%)

PRIMARY

R-22 retrofit application ~ Air Conditioning*

RED FIGURES (IN Hg) VACUUM

Application	TXV Load Rating	Capacity	Efficiency	Oil Issue
Air Conditioning	Possible change-out based on pressure drop	Lower	Similar	Possible POE addition if oil circulation becomes a concern

*Performance comparison to R-22 system operation

Available in the following sizes 25 lb. cyl 110 lb. cyl

Pressure-Temp Chart

Physical Properties	R-438A
Environmental Classification	HFC
Molecular Weight	99.1
Boiling Point (1 atm, °F)	-44.2
Critical Pressure (psia)	624.3
Critical Temperature (°F)	185.5
Critical Density, (lb./ft^ 3)	31.9
Liquid Density (70 °F, lb./ft^3)	72.6
Vapor Density (bp, lb./ft^3)	0.239
Heat of Vaporization (bp, BTU/lb.)	91.2
Specific Heat Liquid (70 °F, BTU/lb. °F)	
Specific Heat Vapor (1 atm, 70 °F, BTU/lb. °F)	
Ozone Depletion Potential (CFC $11 = 1.0$)	0
Global Warming Potential (CO2 = 1.0)	2265
ASHRAE Standard 34 Safety Rating	A1
Temperature Glide (°F)	6



Available in the following sizes 25 lb. cylinder 110 lb. cylinder

Pressure-Temp Chart

		R-438A	
	Temp	Liquid	Vapor
_	(°F) -40 -35 -30 -25 -20 -15 -10 -5 0 5 10 15 20 25 30 35 40 45	(psig) 1.7 3.9 6.4 9.1 12.0 15.3 18.8 22.7 26.8 31.4 36.3 41.6 47.3 53.4 59.9 67.0 74.5 82 5	(psig) 2.6 0.8 1.2 3.5 5.9 8.6 11.6 14.9 18.5 22.4 26.6 31.2 36.2 41.6 47.5 53.7 60.5 67.8
POE if tion s a n POE tion s a n ACUUM	43 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140	91.1 100 110 120 131 143 155 168 181 196 211 226 243 261 279 298 319 340 362	67.6 75.5 83.8 92.7 102 112 123 134 146 159 173 187 202 219 235 253 272 292 313 335

R-438A (R-32/R-125/R-134a/R-600/R-601a) (8.5/45/44.2/1.7/0.6 wt%) **PRIMARY** R-22 retrofit* application ~ Low and Medium Temperature Refrigeration **SECONDARY** R-22 retrofit* application ~ Air Conditioning

Application	TXV Load Rating	Capacity	Efficiency	Oil Issue
Low/Medium Temp Refrigeration	Possible change-out based on pressure drop	Slightly lower	Similar	Possible POE addition if oil circulation becomes a concern
Air Conditioning	Possible change-out based on presssure drop	Lower	Similar	Possible POE addition if oil circulation becomes a concern



R-407A

Refrigeration

Physical Properties	R-407A
Environmental Classification Molecular Weight Boiling Point (1 atm, °F) Critical Pressure (psia) Critical Temperature (°F) Critical Density, (lb./ft^ 3) Liquid Density (70 °F, lb./ft ^ 3) Heat of Vaporization (bp, BTU/lb.) Specific Heat Liquid (70 °F, BTU/lb. °F) Specific Heat Vapor (1 atm, 70 °F, BTU/lb. °F) Ozone Depletion Potential (CFC 11 = 1.0) Global Warming Potential (CO2 = 1.0)	HFC 90.1 -49.9 658.6 181 31.4 72.6 100.8 0.3554 0.1967 0 2110
ASHRAE Standard 34 Safety Rating	A1
Temperature Glide (°F)	8

Available in the following sizes 25 lb.cyl 100 lb.cyl 925 lb cyl 1550 lb.cyl

Pressure-Temp Chart

R-407A				
Temp	Liquid	Vapor		
(°F)	(psig)	(psig)		
-40	3.9	1.0		
-35	6.4	1.0		
-30	9.2	3.3		
-25	12.2	5.8		
-20	15.6	8.5		
-15	19.2	11.5		
-10	23.2	14.9		
-5	27.5	18.5		
0	32.2	22.5		
5	37.3	26.9		
10	42.8	31.0		
15	48./	30.7		
20	55.1 62.0	42.3		
20	60.3	40.5 54.9		
35	09.5	61.0		
40	85.6	69.4		
45	94.6	77 <u>4</u>		
50	104	86.1		
55	114	95.3		
60	125	105		
65	137	116		
70	149	127		
75	162	139		
80	175	152		
85	190	165		
90	205	179		
95	221	194		
100	238	210		
105	255	227		
110	274	245		
115	293	264		
120	314	284		
125	335	305		
130	358	327		
135	382	350		
140	406	375		

R-407A (R-32/R-125/R-134a) (20/40/40 wt%)

PRIMARY

R-22 retrofit*application ~ Low / Medium Temperature Refrigeration

Application	TXV Load Rating	Capacity	Efficiency	Oil Issue
Low / Medium Temp Refrigeration	No changes similar pressure drop	Very similar	Similar	Replace MO with POE following manufacturer's guidelines

*Performance comparison to R-22 system operation

RED FIGURES (IN Hg) VACUUM

R-404A Type Blends Refrigeration



Physical Properties	R-404A	R-507	R-422C
Environmental Classification Molecular Weight Boiling Point (1 atm, °F) Critical Pressure (psia) Critical Temperature (°F) Critical Density (lb./ft \land 3) Liquid Density (70 °F, lb./ft \land 3) Vapor Density (bp, lb./ft \land 3) Vapor Density (bp, lb./ft \land 3) Heat of Vaporization (bp, BTU/lb.) Specific Heat Liquid (70 °F, BTU/lb. °F) Specific Heat Vapor (1 atm, 70 F, BTU/lb. °F) Ozone Depletion Potential (CFC 11 = 1.0) Global Warming Potential (CO ₂ = 1.0) ASHRAE Standard 34 Safety Rating	HFC 97.6 -51.8 548.2 162.5 35.8 66.4 0.342 86.1 0.3600 0.2077 0 3920 A1	HFC 98.9 -52.8 539 159 30.7 66.7 0.349 84.4 0.3593 0.2064 0 3985 A1	HFC 113.5 -50.7 568.5 163.5 33.7 72.5 0.39 77.2 0 3080 A1
Temperature Glide (°F)	2	0	5

Available in the						
following sizes:						
R-404A						
24 lb. cyl						
100 11						

100 lb. cyl

25 lb.cyl 100 lb.cyl

R-422C 24 lb.cyl 100 lb.cyl

R-404A
(R-125/R-143a/R-134a)
(44/52/4 wt%)

R-507

(R-125/R-143a) (50/50 wt%)

R-422C (R-125/R-134a/r-600a) (82/15/3 wt%) **PRIMARY** R-22 retrofit* application ~ Low/Medium Temperature Refrigeration

Application	TXV Load Rating	Capacity	Efficiency	Oil Issue
Low / Medium Temp Refrigeration	Requires change- out because higher capacity	Higher	Similar	Replace MO with POE following manufacturer's guidelines

*Performance comparison to R-22 system operation

Pressure-Temp Chart									
	R-404A	R-507	R-4	22C					
Temp			Liquid	Vapor					
(F)	(psig)	(psig)	(psig)	(psig)					
-40	4.3	5.5	4.7	2.2					
-35	6.8	8.2	7.2	4.5					
-30	9.5	11.1	10.1	7.1					
-25	12.5	14.3	13.1	10.0					
-20	15.7	17.8	16.5	13.2					
-15	19.3	21.7	20.2	16.6					
-10	23.2	25.8	24.2	20.4					
-5	27.5	30.3	28.6	24.5					
0	32.1	35.2	33.3	29.0					
5	37.0	40.5	38.4	33.8					
10	42.4	46.1	43.9	39.1					
15	48.2	52.2	49.8	44.7					
20	54.5	58.8	56.1	50.8					
25	61.2	65.8	63.0	57.4					
30	68.4	73.3	70.3	64.4					
35	76.1	81.3	78.1	72.0					
40	84.4	89.8	86.4	80.1					
45	93.2	98.9	95.3	88.7					
50	103	109	105	97.9					
55	113	119	115	108					
60	123	130	125	118					
65	135	141	137	129					
70	147	154	149	141					
75	159	167	161	153					
80	173	180	175	167					
85	187	195	189	181					
90	202	210	204	195					
95	218	226	219	211					
100	234	244	236	227					
105	252	252	253	244					
110	270	281	272	263					
115	289	301	291	282					
120	310	322	311	302					
125	331	344	332	323					
130	353	368	354	345					
135	377	393	377	369					
140	401	419	402	394					



Refrigeration

Physical Properties	R-422D
Environmental Classification Molecular Weight Boiling Point (1 atm, °F) Critical Pressure (psia) Critical Temperature (°F) Critical Density (lb./ft \land 3) Liquid Density (70 °F, lb./ft \land 3) Heat of Vaporization (bp, BTU/lb.) Specific Heat Liquid (70 °F, BTU/lb.) Specific Heat Vapor (1 atm, 70 F, BTU/lb. °F) Ozone Depletion Potential (CFC 11 = 1.0) Global Warming Potential (CO ₂ = 1.0) ASHBAE Standard 34 Safety Bating	HFC 109.9 -45.8 566.2 175.2 33.0 70.9 81.8 0.35 0.20 0 2730 A1
Temperature Glide (°F)	5

Available in the following sizes 25 lb.cyl 110 lb.cyl

Pressure-Temp Chart

R-422D								
Temp	Liquid	Vapor						
(F) -40	(psig) 2.4	(psig) 2.3						
-35	4.6	0.8						
-30	7.1	3.0						
-25	9.9	5.4						
-20	12.9	8.1						
-15	16.2	11.0						
-10	19.8	14.3						
-5	23.7	17.8						
0	27.9	21.7						
5	32.5	25.8						
10	37.5	30.4						
15	42.8	35.3						
20	48.5	40.7						
25	54.7	46.4						
30	61.3	52.6						
35	68.4	59.3						
40	75.9	66.4						
45	84.0	74.0						
50	92.6	82.2						
55	102	90.9						
60	111	100						
65	122	110						
70	133	121						
/5	144	132						
00 05	150	144						
00	109	170						
90	105	18/						
100	212	104						
105	272	214						
110	245	231						
115	262	248						
120	281	266						
125	300	286						
130	320	306						
135	341	327						
140	364	350						

R-422D

(R-125/R-134a/R-600a) (65.1/31.5/3.4 wt%)

PRIMARY

R-22 retrofit* application ~ Low /Medium Temperature Refrigeration

Application	TXV Load Rating	Capacity	Efficiency	Oil Issue
Low/Medium temp refrigeation	Possible change-out based on pressure drop	Lower	Similar	Possible POE addition if oil circulation becomes a concern

*Performance comparison to R-22 system operation

RED FIGURES (IN Hg) VACUUM



R-22 Alternative Retrofit Guidelines

LOCATION	
ADDRESS	
REFRIGERANT CHARGE / TYPE	
LUBRICANT CHARGE / TYPE	
COMPRESSOR MODEL(S)	
CONDENSER MODEL(S)	

SYSTEM IDENTIFICATION

For larger systems: Fill in overall system data then use subsequent charts for case/evaporator run data.

For small systems: Use subsequent tables - one row for each system retrofit.

For distributed or stand-alone systems: Reference individual condensing unit(s) in the following tables.

NOTES:



C. Retrofit Checklist R-22 Alternative Retrofit Guidelines

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								



R-22 Alternative Retrofit Guidelines

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								



R-22 Alternative Retrofit Guidelines

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								



R-22 Alternative Retrofit Guidelines

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								

System/Case Numbers								
CONDENSING UNIT MODEL								
EVAPORATOR MODEL								
	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT	BEFORE RETROFIT	AFTER RETROFIT
EXPANSION DEVICE								
AMBIENT TEMPERATURE/RH								
SUCTION TEMPERATURE								
SUCTION PRESSURE								
CONDENSER PRESSURE								
CASE/BOX TEMPERATURE								
SUPERHEAT SETTING								
SUBCOOLING SETTING								
SIGHT GLASS APPEARANCE								



Fractionation/Temperature Glide

Single Component Refrigerants vs. Refrigerant Blends

Blends are made up of two or more single component refrigerants. Each single component refrigerant has it own pressure-temperature relationship and unique physical properties. In order to match the properties of a single component refrigerant with a blend, the individual components must be mixed in the right proportions. This mixing provides an opportunity for the blend to behave as a zeotrope or azeotrope. Azeotropic blends behave like single component refrigerants at or near their defined 'azeotropic point', while zeotropic blends do not behave like single component refrigerants and can present some unique behavior during system operation or when leaked.

Fractionation of Blends

When vapor is removed from a cylinder or system containing a zeotropic blend, two things are going to happen: 1. The vapor being removed is at the wrong composition ~ it will have more of the higher pressure/higher capacity refrigerant component; 2. The liquid that is left behind boils more of the higher pressure component out of the liquid to replace the vapor, leaving more of the low-pressure components behind. Therefore, refrigerant blends should be removed from the cylinder as liquid to avoid causing fractionation.

Fractionation Effects on System Charge

A system at **rest** will allow the refrigerant to pool and the vapor to come to an equilibrium concentration above the liquid. Leaks occurring with high temperature glide blends need to be recovered and re-charged with new refrigerant, while leaks occurring with low temperature glide blends (<2.5 F) could be topped off.

In a *running* system, it has been found that the circulating composition is the bulk blend composition. Therefore, leaks occurring with either high or low temperature glide blends could be topped-off.

Fractionation Effects on Some System Components

Flooded evaporators are designed to keep a pool of boiling refrigerant surrounding a bundle of tubes. In the case of zeotropic blends, the vapor that boils off this pool of refrigerant will be at the fractionated composition. This will cause the properties to differ from what the compressor expects, causing high head pressures, high amperage draw at the compressor, and reduced cooling effectiveness in the evaporator. Normally, it is not recommended to use refrigerant blends in this type of system.

Suction accumulators are placed in the suction line before the compressor to keep liquid from flowing into the compressor. Zeotropic blends will fractionate in the accumulator, however the temporary shift in composition will only show a short-lived spike of higher pressure at the compressor.

Appendix I



Fractionation/Temperature Glide

Temperature Glide in the Evaporator

The composition of the vapor and liquid phases are different for refrigerant blends at a given temperature or pressure, with the vapor composition having a higher concentration of the low boiling point components (higher vapor pressure) in the mixture. As a result of this composition difference, refrigerant blends have measurable temperature glide when they boil or condense. This glide may show colder or warmer spots in the evaporator that will affect frost formation, temperature sensors, or control settings.

Pressure / Temperature Charts

Single component refrigerants will stay at one temperature as they boil (the boiling point), and will need only one column on a PT chart to show this relationship. Higher glide blends will boil across a range of temperatures in an evaporator at constant pressure (the temperature glide), and therefore you cannot have just one column to explain the PT relationship. Blends at a given pressure will begin boiling at the saturated liquid temperature (Bubble Point) and finish the process at the saturated vapor temperature (Dew Point). PT charts for higher glide blends have two columns to show these end points.

Setting Superheat and Subcooling

When a single refrigerant boils, any heat picked up after it reaches the vapor state will cause the temperature to rise (superheat). Similarly, when a single refrigerant condenses, any heat removed after it reaches saturated liquid will cause the temperature to go down (subcooling). The process is the same for higher glide blends: the refrigerant will boil until it reaches saturated vapor, then any additional heat will cause it to superheat. The difference is that the blend changes temperature while boiling, so superheat should not be confused with temperature glide.

It is especially important to check the superheat setting for TXVs after a retrofit since the temperature glide of a blend can reduce the original superheat value. The superheat setting should be checked on the PT chart against the saturated vapor column. Subcooling should be checked against the liquid column. Some PT charts might only show one value, but the data at lower temperatures will be for saturated vapor (for setting superheat on the evaporator), and the data at high temperatures will be saturated liquid (for setting subcooling out of the condenser).



Appendix II

TXV Rating Example

The nominal capacity of a Thermostatic Expansion Valve (TXV) is simply the capacity at the conditions it is rated. For high pressure refrigerants, such as R-22 or its alternatives, the AHRI industry standard rating point is: 40°F evaporator temperature, 100°F liquid temperature, and a 100 psi pressure drop across the TXV port. If any of these conditions change, the valve's capacity will also change.

Table 1 shows the capacities of a nominal 2 ton R-22 TXV when used with R-22, R-407A, and R-407C. Capacities are shown at varying evaporator temperatures, but in each instance the standard rating conditions of 100°F liquid temperature and a 100 psi pressure drop across the TXV port are used in conjunction with the various evaporator temperatures. Note the highlighted nominal capacities for the three refrigerants listed and how they differ. This is the result of differing thermodynamic properties between the three refrigerants.

Table 1

		_														
			Refrigerant													
		R-22						R-407A						R-407C		
Valve	Nominal		Recommended Thermostatic Charges								S					
Type	Сарасну	VC,V	CP100	,VGA	VGA VZ, VZP				VC, VCP100, VGA VZ, VZP40					NC, N	CP100	, NGA
		40°	20°	0°	-10°	-20°	-40°	40°	20°	0°	-10°	-20°	-40°	40°	20°	0°
G	2	2.00	.00 2.18 1.91 1.96 1.75 1.31			1.31	1.87	2.00	1.71	1.74	1.54	1.12	1.84	1.97	1.70	

Nominal TXV Capacities

If a specific application is utilizing a liquid temperature or pressure drop across the TXV port which is different than the AHRI rating condition, the correction factors in Table 2 and/or Table 3 would be applied to the capacity listed in Table 1 to determine the actual TXV capacity.

Table 2

Liquid Correction Factors

		Liquid Temperature Entering TXV °F										
Valve Type	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°
		Correction Factor, CF Liquid Temperature										
R-22	1.56	1.51	1.45	1.40	1.34	1.29	1.23	1.17	1.12	1.06	1.00	0.94
R-407A	1.75	1.68	1.61	1.53	1.46	1.39	1.31	1.24	1.16	1.08	1.00	0.92
R-407C	1.69	1.62	1.55	1.49	1.42	1.35	1.28	1.21	1.14	1.07	1.00	0.93

Appendix II





Table 3

Pressure Drop Correction Factors

Evaporator		Pressure Drop Across TXV (PSI)									
Temperature	30	30 50 75 100 125 150 175 200 225 250 275									
(°F)		Correction Factor, CF Pressure Drop									
40°	0.55	0.71	71 0.87 1.00 1.12 1.22 1.32 1.41 1.50 1.58 1.66								1.66
20°&0°	0.49	0.63	0.77	0.89	1.00	1.10	1.18	1.26	1.34	1.41	1.48
-10° & -20°	0.45	0.58	0.71	0.82	0.91	1.00	1.08	1.15	1.22	1.29	1.35
-40°	0.41	0.53	0.65	0.76	0.85	0.93	1.00	1.07	1.13	1.20	1.25

For example: A R-22 application, operating at +20°F is being retrofitted to R-407C. The evaporator capacity is 24,000 Btu/hr and the evaporator has a nominal 2 ton R-22 TXV installed. The application is designed to operate at 100°F condensing, with a 90°F liquid temperature.

The nominal capacity of the TXV for R-407C can be calculated as follows:

- » Nominal capacity at +20°F (from Table1): 1.97 tons.
- » Corrected for liquid temperature at 90°F (from Table 2): $1.97 \times 1.07 = 2.10$ tons.

To determine the correct pressure drop across the TXV port, the difference between the corresponding pressures at the condensing temperature and evaporator pressure must be used:

» 223 psi (100°F condenser saturation) - 37 psi (20°F evaporator saturation) = 186 psi.

The pressure drop through the refrigerant distributor and feeder tubes, the evaporator, and the frictional line loss in the piping between the condenser (where the pressure value is determined based on the condenser saturation temperature) and the TXV inlet must also be considered when determining the actual pressure drop across the TXV port.

For this example, we will assume the above mentioned pressure drop to be 36 psi.

- » The actual pressure drop across the TXV port will be: 186 psi 36 psi = 150 psi.
- Actual TXV capacity at the design condition for this application:
 2.10 tons (corrected for liquid temperature) x 1.10 (from Table 3) = 2.31 tons.
- » This would represent the TXV capacity at the design condition in the summer time.

To ensure that the TXV has sufficient capacity, a similar sizing exercise must be undertaken at the low ambient condensing temperature expected in the winter months. If the system utilizes fan cycling or head pressure control valves and fixes the minimum condensing temperature at 70°F (137.5 psi), the TXV capacity will also need to be considered at this condition.

TXV Rating Example

For most applications the correction factors listed in Table 4 can be used to determine if the existing R22-TXV will have sufficient capacity when used with the retrofit refrigerant of choice.

Table 4

Ca	nacity	v Multi	nliarc	for R_22	Altorna	tive Re	frigera	ntc
Ca	pacity	y iviaiti	pliers	101 11-22	Alterna		ringera	1113

	Refrigerants										
Evaporator	Condensing	Liquid					Сарас	ity Mult	iplier*		
Temp (°F)	Temp (°F)	Temp (°F)	R-22		R-417A	R-422B	R-422D	R-424A	R-438A	R-407A	R-407C
40	105	95	1.00		0.75	0.74	0.72	0.72	0.88	1.04	1.07
	105	95	1.00		0.72	0.71	0.69	0.69	0.85	1.01	1.04
20	70	60	1.00		0.82	0.83	0.83	0.83	1.00	1.20	1.22
	105	95	1.00		0.69	0.68	0.66	0.66	0.81	0.98	1.00
0	70	60	1.00		0.77	0.77	0.77	0.77	0.92	1.11	1.13
	105	95	1.00		0.67	0.66	0.64	0.64	0.79	0.96	0.97
-20	70	60	1.00		0.74	0.74	0.74	0.74	0.88	1.06	1.07

* Apply Capacity Multiplier to the TXV's R-22 rating to determine approximate TXV rating with the service retrofit replacement refrigerant. A total 40 psi pressure loss across the TXV from the refrigerant distributor and liquid line is assumed in the capacity multiplier caculation.

Thermodynamic data provided by NIST Refprop v8.0

Capacity and correction factors courtesy of Sporlan Division - Parker Hannifin

Please visit NRI's website www.refrigerants.com for links to more detailed articles and information including NRI's REFRIGERANT REFERENCE GUIDE





National Refrigerants, Inc.

11401 Roosevelt Boulevard Philadelphia, PA 19154 800.262.0012 fax: 215.698.7466 web: www.refrigerants.com e-mail: info@refrigerants.com

United States

National Refrigerants, Inc. 11401 Roosevelt Boulevard Philadelphia, PA 19154 800.262.0012

Canada

National Refrigerants of Canada, Ltd. 130 Riveira Drive Markham, Ontario Canada L3R 5M1 905.479.2505